



## Welcome the future

CF2 wireless control system for your hydronic floor heating



# Safe, profitable and certified



## Taking the safe way into the future

Wireless solutions are already accepted in many instances in our day-to-day lives. Living without everyday products such as baby monitors, wireless LAN, wireless telephones and Bluetooth connections would be unthinkable nowadays, representing the technology of the future. CF2 wireless control system represents the state of the art as regards individual room control. Choose the future – choose CF2:

- » CF2 – the only two-way wireless control system on the market
- » CF2 – on the safe 868 MHz radio frequency



## CF2 – profitable business

Choosing a CF2 wireless control system will facilitate your everyday life and give you the opportunity to increase your profits. If you compare the total costs of a CF2 wireless control system with a hardwired system, you will find that the wireless control system is competitive in every instance.

- » No electrical installation necessary
- » 18% more cost-efficient than a hardwired system during renovation work
- » Quick installation time and simple commissioning which saves you time and reduces your costs



See complete comparative study of costs at [www.heating.danfoss.com](http://www.heating.danfoss.com)



## Don't worry be happy

With the TÜV-accredited CF2 wireless control system, just lean back and enjoy. The ECOLOG scientific institute has tested the electromagnetic compatibility of the CF2 wireless control system and came up with following results:

- » Absolutely no indication of health risks in rooms fitted with CF2
- » The electromagnetic fields of the CF2 wireless controls are significantly lower than the ones of baby monitors, DECT telephones or Bluetooth



See complete documentation at [www.heating.danfoss.com](http://www.heating.danfoss.com)



CF2 wireless control system for your hydronic floor heating



**CF-RS**  
» Room thermostat (standard model) 088U0210



**CF-RP**  
» Room thermostat with protection for external operation (for public use) 088U0211



**CF-RD**  
» Room thermostat with display 088U0212



**CF-RF**  
» Room thermostat with display and Infrared floor sensor 088U0213



**Master controller CF-MC**  
» 10 outputs 088U0200  
» 5 outputs 088U0205



**Remote controller CF-RC**  
» with 230 V connection, detachable 088U0220



**Repeater unit CF-RU**  
» with 230 V connection 088U0230



Wireless wellness by Danfoss

[www.heating.danfoss.com](http://www.heating.danfoss.com)